

Measure	CPTII	Code Description	Age	ICD.10	CPT I	Modifiers
12 (NQF 0086) POAG: ON Evaluation Primary Open-Angle Glaucoma: Optic Nerve Evaluation	2027F	POAG: Optic Nerve Evaluation Performed	18 +	H40.10X0, H40.10X1, H40.10X2, H40.10X3, H40.10X4, H40.1110, H40.1111, H40.1112, H40.1113, H40.1114, H40.1120, H40.1121, H40.1122, H40.1123, H40.1124, H40.1130, H40.1131, H40.1132, H40.1133, H40.1134, H40.1190, H40.1191, H40.1192, H40.1193, H40.1194, H40.1210, H40.1211, H40.1212, H40.1213, H40.1214, H40.1220, H40.1221, H40.1222, H40.1223, H40.1224, H40.1230, H40.1231, H40.1232, H40.1233, H40.1234, H40.151, H40.152, H40.153,	92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99241*, 99242*, 99243*, 99244*, 99245*, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337 * Signifies that this CPT code is a non-covered service under the PFS (Physician Fee Schedule). These non-covered services will not be counted in the denominator population for claims-based measures.	1P: Medical Reason 8P: Reason NOT Specified
14 (NQF 0087) AMD: DFE Age-Related Macular Degeneration: Dilated Macular Examination	G9974 G9975 G9892 G9893	AMD: Dilated Macular Examination Performed including documentation of the presence or absence of macular thickening or hemorrhage AND the level of macular degeneration severity AMD: No Dilated Macular Examination Performed Medical Reason AMD: No Dilated Macular Examination, Patient reason AMD: No dilated Macular examination, No Reason	50 +	H35.3110, H35.3111, H35.3112, H35.3113, H35.3114, H35.3120, H35.3121, H35.3122, H35.3123, H35.3124, H35.3130, H35.3131, H35.3132, H35.3133, H35.3134, H35.3210, H35.3211, H35.3212, H35.3213, H35.3220, H35.3221, H35.3222, H35.3223, H35.3230, H35.3231, H35.3232, H35.3233	92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337	

Measure	CPT/II	Code Description	Age	ICD.10	CPT I	Modifiers
117 (NQF 0055) Diabetes: Eye Exam <u>UPDATED FOR 2020!!</u>	G2102	Retinal or Dilated Eye Exam Performed by an ophthalmologist or optometrist (documented and reviewed)	18 - 75	E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.3211, E11.3212, E11.3213, E11.3219, E11.3291, E11.3292, E11.3293, E11.3299, E11.3311, E11.3312, E11.3313, E11.3319, E11.3391, E11.3392, E11.3393, E11.3399, E11.3411, E11.3412, E11.3413, E11.3419, E11.3491, E11.3492, E11.3493, E11.3499, E11.3511, E11.3512, E11.3513, E11.3519, E11.3521, E11.3522, E11.3523, E11.3529, E11.3531, E11.3532, E11.3533, E11.3539, E11.3541, E11.3542, E11.3543, E11.3549, E11.3551, E11.3552, E11.3553, E11.3559, E11.3591, E11.3592, E11.3593, E11.3599, E11.36, E11.37X1, E11.37X2, E11.37x3E11.37X9, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9	99385, 99386, 99387, 99395, 99396, 99397, 92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439,	8P: Reason NOT Specified
	or G2103	7 standard field stereoscopic photos with interpretation (documented and reviewed)				
	or G2104	Eye imaging validated to match diagnosis from 7 standard field stereoscopic photos results (documented and reviewed)				
	or 3072F*	Low risk retinopathy (no retinopathy in previous year)* * Note: This code can only be used if the claim/encounter was during the measurement period because it indicates that the patient had "no evidence of retinopathy in the prior year."				
	G9714	Not eligible due to Hospice status				* Note: 8P modifier NOT used with 3072F

	<p>G2105</p> <p>G2106</p> <p>G2017</p>	<p>Patient age 66 or older in Institutional Special Needs Plans (SNP) or residing in long-term care with POS code 32, 33, 34, 54, or 56 for more than 90 days during the measurement period</p> <p>Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND a dispensed medication for dementia during the measurement period or the year prior to the measurement period</p> <p>Patient 66 years of age and older and has at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period</p>				
--	--	--	--	--	--	--

Measure	CPTII	Code Description	Age	ICD.10	CPT I	Modifiers
141 (NQF 0563) POAG: IOP Primary Open-Angle Glaucoma: Reduction of Intraocular Pressure by 15% OR Documentation of a Plan of Care	3284F	POAG: Reduction of IOP >= 15% Pre-Intervention Level	18 +	H40.1111, H40.1112, H40.1113, H40.1114, H40.1121, H40.1122, H40.1123, H40.1124, H40.1131, H40.1132, H40.1133, H40.1134, H40.1211, H40.1212, H40.1213, H40.1214, H40.1221, H40.1222, H40.1223, H40.1224, H40.1231, H40.1232, H40.1233, H40.1234, H40.151, H40.152, H40.153	92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337	8P: Reason NOT Specified
	OR	Reduction of IOP < 15% Pre-Intervention Level				
	3285F					
	AND	Glaucoma Plan of Care Documented				
	0517F					
	OR	Reduction of IOP < 15% Pre-Intervention Level				
	3285F					
AND	Glaucoma Plan of Care NOT Documented, Reason NOT Otherwise Specified					
0517F 8P						
OR	IOP Measurement NOT Documented, Reason NOT Otherwise Specified					
3284F 8P						
#236 (NQF 0018) Controlling High Blood Pressure Effective Clinical Care	G9740	Hospice services given to patient any time during the measurement period	18-85	I10	99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99241*, 99242*, 99243*, 99244*, 99245*, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99385*, 99386*, 99387*, 99395*, 99396*, 99397*, G0438, G0439	

	G9231	Documentation of end stage renal disease (ESRD), dialysis, renal transplant before or during the measurement period or pregnancy during the measurement period				
	G9910	Patients age 66 or older in Institutional Special Needs Plans (SNP) or residing in long-term care with POS code 32, 33, 34, 54, or 56 for more than 90 days during the measurement period				
	G2115	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND a dispensed medication for dementia during the measurement period or the year prior to the measurement period				
	G2116	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the				

		measurement period or the year prior to the measurement period				
	OR					
	G875 2	Most recent systolic blood pressure < 140 mmHg				
	OR					
	G875 3	Most recent systolic blood pressure ≥ 140 mmHg				
	AND					
G875 4	Most recent diastolic blood pressure < 90 mmHg					
OR						
G875 5	Most recent diastolic blood pressure ≥ 90 mmHg					
OR						
G875 6	No documentation of blood pressure measurement, reason not given					

Measure	CPT II	Code Description	CPT I	Modifiers
130 (NQF 0419) Documentation of Current Medications in the Medical Record	G8427 or G8430 or G8428	Current Medications Documented (with Name, Dosage, Frequency, or Route Documented) Current Medications NOT Documented, Patient not Eligible (emergency situations only) Current Medications with Name, Dosage, Frequency, Route NOT Documented, Reason NOT Specified/Given	92002, 92004, 92014, 92014, 92521, 92522, 92523, 92537, 92538, 92540, 92541, 92542, 92544, 92545, 92548, 92550, 92557, 92567, 92568, 92570, 92585, 92588, 92626, 96105, 96116, 97129, 96156, 96158, 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 97532, 97802, 97803, 97804, 98960, 98961, 98962, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99221, 99222, 99223, 99236, 99304, 99305, 99306, 99307, 99339, 99340, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99496, 99281, 99298, 99283, 99284, 99285, 99385, 99386, 99387, 99395, 99396, 99397	None

226(NQF 0028) Preventive Care & Screening: Tobacco Use: Screening and Cessation Intervention	Criteria 1 G9903	<u>All patients</u> Patient Screened for Tobacco Use and Identified as a Non-User of Tobacco	90791, 90792, 90832, 90834, 90837, 90845, 92002, 92004, 92012, 92014, 92521, 92522, 92523, 92524, 92540, 92557, 92625, 97165, 97166, 97167, 97168, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99385*, 99386*, 99387*, 99395*, 99396*, 99397*, 99401*, 99402*, 99403*, 99404*, 99411*, 99412*, 99429*, G0438, G0439 Examples: Tobacco Non-user: G9903 and 1036F Tobacco User Screened and Cessation Counselling: G9902, G9906, 4004F Tobacco User Screened NO Cessation Counselling, Medical: G9902, G9907, 9909F Tobacco User Screened NO Cessation Counselling, No Reason: G9902, G9908, 4004F-8P Tobacco User Not Screening+No Cessation Counselling, Medical: G9904, G9907, 4004F-1P Tobacco User Not Screening+No Cessation Counselling, No Reason: G9905, 4004F-8P		
	Or	G9902			Patient Screened for Tobacco Use and Identified as a Tobacco User
	Or	G9904			Patient Not Screened for Tobacco Use, Medical Reason
	Or	G9905			Patient Not Screened for Tobacco Use, No reason given
	Criteria 2	<u>Tobacco Users</u>			
	or G9906	Patient Screened and Received Cessation Counselling or pharmacotherapy			
	or G9907	Patient Screened, No Cessation Counselling, Medical Reason			
	or G9908	Patient Screened, No Cessation Counselling, No reason given			
	Criteria 3	Screened Patients, Identified as user and received counseling, OR were identified as a non user			
	4004F	Tobacco User Screened and Received Counselling			
	or 1036F	Screened and Non-Tobacco User			
	or				

