

Measure	CPTII	Code Description	Age	ICD.10	CPT I	Modifiers
14 (NQF 0087) AMD: DFE Age-Related Macular Degeneration: Dilated Macular Examination (Effective Clinical Care)	G9974 G9975 G9892 G9893	AMD: Dilated Macular Examination Performed including documentation of the presence or absence of macular thickening or hemorrhage AND the level of macular degeneration severity AMD: No Dilated Macular Examination Performed Medical Reason AMD: No Dilated Macular Examination, Patient reason AMD: No dilated Macular examination, No Reason	50 +	H35.3110, H35.3111, H35.3112, H35.3113, H35.3114, H35.3120, H35.3121, H35.3122, H35.3123, H35.3124, H35.3130, H35.3131, H35.3132, H35.3133, H35.3134, H35.3210, H35.3211, H35.3212, H35.3213, H35.3220, H35.3221, H35.3222, H35.3223, H35.3230, H35.3231, H35.3232, H35.3233	92002, 92004, 92012, 92014, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337	
117 (NQF 0055) Diabetes: Eye Exam (Effective Clinical Care) NEW CODES FOR 2021!	2022F or 2023F or 2024F or 2025F	Retinal or Dilated Eye Exam Performed by an ophthalmologist or optometrist (documented and reviewed) Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist without evidence of retinopathy (documented and reviewed) 7 standard field stereoscopic photos with interpretation (documented and reviewed) 7 standard field stereoscopic photos with interpretation by an ophthalmologist or optometrist without evidence of retinopathy (documented and reviewed)	18 - 75	E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.3211, E11.3212, E11.3213, E11.3219, E11.3291, E11.3292, E11.3293, E11.3299, E11.3311, E11.3312, E11.3313, E11.3319, E11.3391, E11.3392, E11.3393, E11.3399, E11.3411, E11.3412, E11.3413, E11.3419, E11.3491, E11.3492, E11.3493, E11.3499, E11.3511, E11.3512, E11.3513, E11.3519, E11.3521, E11.3522, E11.3523, E11.3529, E11.3531, E11.3532, E11.3533, E11.3539, E11.3541, E11.3542, E11.3543, E11.3549, E11.3551, E11.3552, E11.3553, E11.3559, E11.3591, E11.3592, E11.3593, E11.3593, E11.3599, E11.36, E11.37X1, E11.37X2, E11.37x3E11.37X9, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9	92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439	8P: Reason NOT Specified * Note: 8P modifier NOT used with 3072F

	or 2026F	Eye imaging validated to match diagnosis from 7 standard field stereoscopic photos (documented and reviewed)				
	or 2033F	Eye imaging validated to match diagnosis from 7 standard field stereoscopic photos results without evidence of retinopathy (documented and reviewed)				
	or 3072F*	Low risk retinopathy (no retinopathy in previous year)*				
	G9714	Not eligible due to Hospice status				

* Note: This code can only be used if the claim/encounter was during the measurement period because it indicates that the patient had "no evidence of retinopathy in the prior year."

Measure	CPTII	Code Description	Age	ICD.10	CPT I	Modifiers
141 (NQF 0563) POAG: IOP Primary Open-Angle Glaucoma: Reduction of Intraocular Pressure by 15% OR Documentation of a Plan of Care (Communication and Care Coordination)	3284F	POAG: Reduction of IOP >= 15% Pre-Intervention Level	18 +	H40.1111, H40.1112, H40.1113, H40.1114, H40.1121, H40.1122, H40.1123, H40.1124, H40.1131, H40.1132, H40.1133, H40.1134, H40.1211, H40.1212, H40.1213, H40.1214, H40.1221, H40.1222, H40.1223, H40.1224, H40.1231, H40.1232, H40.1233, H40.1234, H40.151, H40.152, H40.153	92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337	8P: Reason NOT Specified
	OR					
	0517F	Glaucoma Plan of Care Documented				
	AND					
	3285F	Reduction of IOP < 15% Pre-Intervention Level				
	OR					
0517F 8P	Glaucoma Plan of Care NOT Documented, Reason NOT Otherwise Specified					
AND						
3285F	Reduction of IOP < 15% Pre-Intervention Level					

Measure	CPT II	Code Description	CPT I	Modifiers
130 (NQF 0419) Documentation of Current Medications in the Medical Record (Patient Safety)	G8427 or G8430 or G8428	Attest to documenting in the medical record that physician obtained, updated, or reviewed the patient's current medications Documentation of a medical reason(s) for not documenting, updating, or reviewing the patient's current medications list (e.g., patient is in an urgent or emergent medical situation) Current Medications with Name, Dosage, Frequency, Route NOT Documented, Reason NOT Specified/Given	92002, 92004, 92014, 92014, 92507, 92508, 92526, 92537, 92538, 92540, 92541, 92542, 92544, 92545, 92548, 92550, 92557, 92567, 92568, 92570, 92588, 92626, 96116, 97166, 97167, 97168, 97802, 97803, 97804, 98960, 98961, 98962, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99221, 99222, 99223, 99236, 99304, 99305, 99306, 99307, 99339, 99340, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99496, 99281, 99283, 99284, 99285, 99385, 99386, 99387, 99395, 99396, 99397	None
226(NQF 0028) Preventive Care & Screening: Tobacco Use: Screening and Cessation Intervention (Community / Population Health)	<u>Criteria 1</u> G9903 Or G9902 Or G9904 Or G9905 <u>Criteria 2</u> G9906 or G9907 or G9908	<u>All patients</u> G9903 Patient Screened for Tobacco Use and Identified as a Non-User of Tobacco Or G9902 Patient Screened for Tobacco Use and Identified as a Tobacco User Or G9904 Patient Not Screened for Tobacco Use, Medical Reason Or G9905 Patient Not Screened for Tobacco Use, No reason given <u>Tobacco Users</u> G9906 Patient Screened and Received Cessation Counselling or pharmacotherapy or G9907 Patient Screened, No Cessation Counselling, Medical Reason or G9908 Patient Screened, No Cessation Counselling, No reason given	90791, 90792, 90832, 90834, 90837, 90845, 92002, 92004, 92012, 92014, 92521, 92522, 92523, 92524, 92540, 92557, 92625, 96150, 96151, 96152, 97165, 97166, 97167, 97168, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99385*, 99386*, 99387*, 99395*, 99396*, 99397*, 99401*, 99402*, 99403*, 99404*, 99411*, 99412*, 99429*, G0438, G0439 Examples: Tobacco Non-user: G9903 and 1036F Tobacco User Screened and Cessation Counselling: G9902, G9906, 4004F Tobacco User Screened NO Cessation Counselling, Medical: G9902, G9907, 9909F Tobacco User Screened NO Cessation Counselling, No Reason: G9902, G9908, 4004F-8P Tobacco User Not Screening+No Cessation Counselling, Medical: G9904, G9907, 4004F-1P Tobacco User Not Screening+No Cessation Counselling, No Reason: G9905, 4004F-8P	

	Criteria 3	Screened Patients, Identified as user and received counseling, OR were identified as a non user		
	4004F	Tobacco User Screened and Received Counselling		
	or			
	1036F	Screened and Non-Tobacco User		
	or			
	4004F 1P	Tobacco Use Not Screened Medical Reason documented for Not Screening		
	or			
	4004F 8P	No Tobacco Screening Performed No Cessation Counselling Provided, No Reason		

Please note: For 2021, [12 \(NQF 0086\)](#) Primary Open-Angle Glaucoma: Optic Nerve Evaluation is not available for claims based reporting.